

IN THE CLAIMS

✓ Please cancel claims 62, 99 and 103-104, without prejudice.

Please substitute claims 48, 51, 53, 54, 60, 61, 65, 68, 100, 102 and 105-106 with rewritten claims 48, 51, 53, 54, 60, 61, 65, 68, 100, 102 and 105-106 as follows:*

AMENDED
ME

48. (Three Times Amended) An isolated DNA molecule encoding an antisense-RNA complementary to a transcript of a nucleic acid molecule encoding a protein which is present in plant cells in starch granule-bound form as well as in soluble form and that is involved in the phosphorylation of starch when expressed in plants and/or that increases the phosphorylation of glycogen when expressed in *E. coli*, said nucleic acid molecule selected from the group consisting of:

(a) a nucleic acid molecule comprising a nucleotide sequence that encodes a protein having the amino acid sequence of SEQ ID NO: 2;

(b) a nucleic acid molecule comprising the coding region of the nucleotide sequence of SEQ ID NO: 1;

(c) a nucleic acid molecule that hybridizes to the nucleic acid molecule of (a) or (b) under stringent conditions, wherein the nucleic acid molecule encodes a polypeptide that is present in plant cells in starch granule-bound form as well as soluble form and that is involved in the phosphorylation of starch when expressed in plants and/or that increases the phosphorylation of glycogen when expressed in *E. coli*;

* Applicants enclose a copy of claims 48, 51, 53, 54, 60, 61, 65, 68, 100, 102 and 105-106, marked up pursuant to 37 C.F.R. § 1.121(c)(1)(ii) to show the amendments made.

(d) a nucleic acid molecule the sequence of which is degenerate as a result of the genetic code to a nucleic acid molecule of (a), (b) or (c); and

(e) a fragment or allelic variant of a nucleic acid molecule of (a), (b), (c), or (d), wherein the fragment or allelic variant encodes a polypeptide that is present in plant cells in starch granule-bound form as well as in soluble form and that is involved in the phosphorylation of starch when expressed in plants and/or that increases the phosphorylation of glycogen when expressed in *E. coli*,

wherein said antisense-RNA is capable of inhibiting the expression of nucleic acid molecules encoding said protein when expressed in a plant cell.

51. (Three Times Amended) A vector comprising the DNA molecule according to claim 48.

53. (Three Times Amended) A host cell comprising the DNA molecule according to claim 48 or comprising a vector comprising said DNA molecule.

54. (Three Times Amended) A transgenic plant cell comprising the DNA molecule according to claim 48, wherein said DNA molecule is operably linked to regulatory elements ensuring transcription in a plant cell.

AMENDED
per E

60. (Twice Amended) An RNA molecule obtainable by transcription of the nucleic acid molecule according to claim 48.

AMENDED
per E

61. (Three Times Amended) A method for producing a transgenic plant cell synthesizing a modified starch comprising the step of introducing the DNA molecule of claim 48 into the cell, thereby reducing in the cell the amount of a protein which is present in the plant cell in starch granule-bound form as well as in soluble form and that is involved in the phosphorylation of starch when expressed in plants and/or that increases the phosphorylation of glycogen when expressed in *E. coli*, said protein encoded by a nucleic acid molecule selected from the group consisting of:

(a) a nucleic acid molecule encoding a protein with the amino-acid sequence indicated in SEQ ID NO: 2;

(b) a nucleic acid molecule comprising the coding region of the nucleotide sequence indicated in SEQ ID NO: 1;

(c) a nucleic acid molecule hybridizing to a nucleic acid molecule of (a) or (b) under stringent conditions;

(d) a nucleic acid molecule the sequence of which is degenerate as a result of the genetic code to a nucleic acid molecule of (a) or (b); and

(e) a fragment, derivative or allelic variant of a nucleic acid molecule of (a), (b), (c), or (d), wherein the fragment, derivative or allelic variant encodes a polypeptide that is present in plant cells in starch granule-bound form as well as in soluble form and that is involved in the phosphorylation of starch when expressed in plants and/or that increases the phosphorylation of glycogen when expressed in *E. coli*;

wherein said reduction of the amount of said protein is caused by an antisense effect and results in the plant cell producing a modified starch.

AMENDED
for E

65. (Three Times Amended) The method of claim 61, wherein the enzyme activity of at least one further enzyme involved in the starch biosynthesis and/or modification is reduced.

AMENDED
for E

68. (Three Times Amended) A plant cell obtainable by the method of claim 61.

AMENDED
for E

100. (Amended) The DNA molecule of claim 48, wherein the DNA molecule is more than 100 basepairs.

AMENDED

pmE

102. (Amended) An isolated DNA molecule encoding an antisense-RNA complementary to a transcript of a nucleic acid molecule encoding a protein which is present in plant cells in starch granule-bound form as well as in soluble form and that is involved in the phosphorylation of starch when expressed in plants and/or that increases the phosphorylation of glycogen when expressed in *E. coli*, said nucleic acid molecule selected from the group consisting of:

(a) a nucleic acid molecule comprising a nucleotide sequence that encodes a protein having the amino acid sequence of SEQ ID NO: 2;

(b) a nucleic acid molecule comprising the coding region of the nucleotide sequence of SEQ ID NO: 1;

(c) a nucleic acid molecule that has more than 80% sequence identity to the nucleic acid molecule of (a) or (b);

(d) a nucleic acid molecule the sequence of which is degenerate as a result of the genetic code to a nucleic acid molecule of (a), (b) or (c); and

(e) a fragment or allelic variant of a nucleic acid molecule of (a), (b), (c), or (d), wherein the fragment or allelic variant encodes a polypeptide that is present in plant cells in starch granule-bound form as well as in soluble form and that is involved in the phosphorylation of starch when expressed in plants and/or that increases the phosphorylation of glycogen when expressed in *E. coli*,

wherein said antisense-RNA is capable of inhibiting the expression of nucleic acid molecules encoding said protein when expressed in a plant cell.

AMENDED
gme

105. (Amended) The DNA molecule of claim 102, wherein the nucleic acid molecule of (c) has more than 90% sequence identity to the nucleic acid molecule of (a) or (b).

AMENDED
gme

106. (Amended) The DNA molecule of claim 105, wherein the nucleic acid molecule of (c) has at least 95% complementarity to the nucleic acid molecule of (a) or (b).